

Math 763. Homework 1
Due Thursday, September 19th

In these problems (and everywhere else in the class), the ground field, which is denoted by k , is assumed to be algebraically closed.

1. Show that the hyperbola $V(xy - 1) \subset \mathbb{A}^2$ is not isomorphic to the affine line \mathbb{A}^1 (that is, that there is no bi-regular map between them; a bi-regular map is a regular bijection whose inverse is also regular).

2. Consider the cuspidal cubic $X = V(y^2 - x^3) \subset \mathbb{A}^2$. Prove that the map

$$\mathbb{A}^1 \rightarrow X : t \mapsto (t^2, t^3)$$

is bijective, but not bi-regular. (The map is also a homeomorphism in the Zariski topology.)

3. For two subsets $X \subseteq \mathbb{A}^n$ and $Y \subseteq \mathbb{A}^m$, the cartesian product $X \times Y$ is naturally a subset of \mathbb{A}^{n+m} :

$$X \times Y = \{(a_1, \dots, a_{n+m}) \mid (a_1, \dots, a_n) \in X \text{ and } (a_{n+1}, \dots, a_{n+m}) \in Y\}.$$

Prove that if X and Y are algebraic, then so is $X \times Y$. Prove that

$$k[X \times Y] = k[X] \otimes k[Y].$$

4. Suppose that $f : X \rightarrow Y$ is a regular map between algebraic sets $X \subseteq \mathbb{A}^n$ and $Y \subseteq \mathbb{A}^m$. Prove that the graph

$$\Gamma_f = \{(P, f(P)) : P \in X\} \subset X \times Y \subset \mathbb{A}^{n+m}$$

is an algebraic set and that $\Gamma_f \simeq X$. (Shafarevich, Problem I.2.13)

5. A regular map of algebraic sets $f : X \rightarrow Y$ is said to be a *closed embedding* if $f(X)$ is an algebraic subset of Y and f induces an isomorphism between X and $f(X)$. Show that f is a closed embedding if and only if the induced map of algebras $f^* : k[Y] \rightarrow k[X]$ is surjective.

6. Set $X = \mathbb{A}^2$, and consider the regular map

$$\sigma : X \rightarrow X : (x, y) \mapsto (-x, -y).$$

Clearly, it is an involution: $\sigma^2 = id$. Define the quotient $Y = X/\sigma$ to be the affine variety whose coordinate ring $k[Y]$ is the algebra of invariants:

$$k[X]^\sigma = \{f \in k[X] : f \circ \sigma = f\}.$$

Describe Y explicitly by representing it as an algebraic set in an affine space. (Inspired by J. Ellenberg's colloquium talk a long time ago.)